


**P 100\*120 A**



Material:	<b>HDPE</b>
Weight:	<b>17150 GR ±%2</b>
Dimensions:	<b>1000*1200*155</b>
Dynamic Capacity:	<b>1000 KG</b>
Static Capacity:	<b>4000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>100*120 A</b>	1000*1200*155	155	160	665	650	205	100	17150

## P 60\*80 KS



Material:	<b>HDPE</b>
Weight:	<b>5160 GR ±%2</b>
Dimensions:	<b>600*800*150</b>
Dynamic Capacity:	<b>500 KG</b>
Static Capacity:	<b>2000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>60*80 KS</b>	600*800*150	150	125	405	550	190	95	5160

## P 80\*120 A



Material:	<b>HDPE</b>
Weight:	<b>11000 GR ±%2</b>
Dimensions:	<b>800*1200*145</b>
Dynamic Capacity:	<b>500 KG</b>
Static Capacity:	<b>2000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>80*120 A</b>	800*1200*145	145	160	710	610	150	100	11000

## P 110\*130 A



Material:	<b>HDPE</b>
Weight:	<b>21700 GR ±%2</b>
Dimensions:	<b>1100*1300*155</b>
Dynamic Capacity:	<b>1500 KG</b>
Static Capacity:	<b>6000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>110*130 A</b>	1100*1300*155	155	200	710	710	200	100	21700

## P 80\*120 K



Material:	<b>HDPE</b>
Weight:	<b>13740 GR ±%2</b>
Dimensions:	<b>800*1200*150</b>
Dynamic Capacity:	<b>500 KG</b>
Static Capacity:	<b>2000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>80*120 K</b>	800*1200*150	150	200	730	590	190	100	13740

## P 80\*120 KY



Material:	<b>HDPE</b>
Weight:	<b>13900</b> <b>GR ±%2</b>
Dimensions:	<b>800*1200*150</b>
Dynamic Capacity:	<b>500 KG</b>
Static Capacity:	<b>2000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>80*120 KY</b>	800*1200*150	150	200	710	585	200	95	13900

## P 80\*120 KYR



Material:	<b>HDPE</b>
Weight:	<b>21250</b> <b>GR ±%2</b>
Dimensions:	<b>800*1200*175</b>
Dynamic Capacity:	<b>1000 KG</b>
Static Capacity:	<b>3000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>80*120</b> <b>KYR</b>	800*1200*175	175	200	710	585	200	95	21250

## P 80\*120 T



Material:	<b>HDPE</b>
Weight:	<b>5700 GR ±%2</b>
Dimensions:	<b>800*1200*130</b>
Dynamic Capacity:	<b>250 KG</b>
Static Capacity:	<b>1000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>80*120 T</b>	800*1200*130	130	165	790	560	110	100	5700



## P 80\*120 TP



Material:	<b>HDPE</b>
Weight:	<b>7800 GR ±%2</b>
Dimensions:	<b>800*1200*140</b>
Dynamic Capacity:	<b>250 KG</b>
Static Capacity:	<b>1000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>80*120 TP</b>	800*1200*140	140	165	790	560	110	100	7800

## P 100\*120 T



Material:	<b>HDPE</b>
Weight:	<b>6650 GR ±%2</b>
Dimensions:	<b>1000*1200*130</b>
Dynamic Capacity:	<b>250 KG</b>
Static Capacity:	<b>1000 KG</b>




REF	Dimensions	A	B	C	D	E	F	GR
<b>100*120 T</b>	1000*1200*130	130	110	710	790	170	100	6650

## P 100\*120 TP



Material:	<b>HDPE</b>
Weight:	<b>8750 GR ±%2</b>
Dimensions:	<b>1000*1200*140</b>
Dynamic Capacity:	<b>250 KG</b>
Static Capacity:	<b>1000 KG</b>



REF	Dimensions	A	B	C	D	E	F	GR
<b>100*120 TP</b>	1000*1200*140	140	110	710	790	170	90	8750